

TAALIN MACHINERY & ROBOTICS

PRODUCT CATALOG



PROFILE MACHINING CENTER**01-04**

- 1.CNC PROFILE MACHINING CENTER (MC-4XA)
- 2.CNC PROFILE MACHINING CENTER (MC-3XRA)
- 3.CNC PROFILE MACHINING CENTER MINI (MC-4XM)
- 4.CNC PROFILE MACHINING CENTER(MC-3X/900)

PROFILE CUTTING MACHINE**05-17**

- 5.DOUBLE HEAD CUTTING - 600 (SDS-24AA)
- 6.DOUBLE HEAD CUTTING - 550 (SDS-22A/M)
- 7.SWING DOUBLE HEAD CUTTING - 500 (SDS-20AS)
- 8.DOUBLE HEAD CUTTING - 500 (SDS-20FA {GARUDA})
- 9.DOUBLE HEAD CUTTING - 500 (SDS-20A/M)
- 10.DOUBLE HEAD CUTTING - 420 (SDS-17A/M)
- 11.DOUBLE HEAD SOLAR CUTTING - 350/400 (SDS-16SL A/M)
- 12.DOUBLE HEAD CUTTING - 400 (SDS-16A/M) *e*
- 13.SINGLE HEAD CUTTING FRONTAL- 500 (SSM-20AS)
- 14.SINGLE HEAD UPSTROKE CUTTING - 500 (SSM-20A)
- 15.SINGLE HEAD UPSTROKE CUTTING - 420 (SSM-17A) *e*
- 16.COMPOSITE SINGLE HEAD CUTTING - 400 (SSV-16A/M)
- 17.MANUAL SINGLE HEAD CUTTING - 400 (SSM-16A/M) *e*

UPVC WELDING MACHINE**18-27**

- 18.QUAD WELDING MACHINE (WQS-7D)
- 19.SEAMLESS FOUR HEAD WELDING MACHINE (WFS-S6LVVL)
- 20.SEAMLESS THREE HEAD WELDING MACHINE (WTS-S6LVL)
- 21.NEAT SEAMLESS DOUBLE HEAD WELDING MACHINE (WDS-SC7L)
- 22.SEAMLESS TWO HEAD V WELDING MACHINE (WDS-S6LV)
- 23.SEAMLESS DOUBLE HEAD WELDING MACHINE (WDS-S6L)
- 24.DOUBLE HEAD NORMAL WELDING MACHINE (WDS-6L) *e*
- 25.SINGLE HEAD V WELDING MACHINE (WSS-S6V)
- 26.SEAMLESS SINGLE HEAD WELDING MACHINE (WSS-S6L) *e*
- 27.MANUAL SINGLE HEAD WELDING MACHINE (WSM-5L) *e*

CLEANING MACHINE**28-34**

- 28.CNC CORNER CLEANING-10 TOOL (CCM-10 AR)
- 29.CNC CORNER CLEANING-7 TOOL (CCM-7T)
- 30.CNC CORNER CLEANING-5 TOOL (CCM-5T)
- 31.CNC CORNER CLEANING-3 TOOL (CCM-3T)
- 32.AUTOMATIC V CLEANING MACHINE (VCM-4T)
- 33.CORNER CLEANING CUM END MILLING (CCE-1T3) *e*
- 34.CORNER SURFACE GROOVING MACHINE (SCM-2T) *e*

COPY ROUTER MACHINE**35-41**

- 35.COPY ROUTER WITH TRIPLE DRILL CUM WATER DRAINAGE MACHINE (RC-3DW)
- 36.SEMI AUTO. COPY ROUTER WITH TRIPLE DRILL AND CENTERING DEVICE (RCS-3DC)
- 37.SEMI AUTOMATIC ALUMINIUM COPY ROUTER (RCS-AL)
- 38.COPY ROUTER WITH TRIPLE DRILLING (RC-3D)
- 39.ALUMINIUM COPY ROUTER (RC-AL)
- 40.ECOLINE COPY ROUTER WITH TRIPLE DRILLING (RCE-3D) *e*
- 41.PORTABLE COPY ROUTER (RCP) *e*

UPVC WATER SLOT MACHINE**42-45**

- 42.HEAVY DUTY WATER DRAIN SLOT WITH 3 SPINDLE (RWS-3SA)
- 43.SEMI AUTOMATIC WATER DRAIN SLOT (RWS-3SS)
- 44.SEMI AUTOMATIC WATER DRAIN SLOT (RWS-2SS)
- 45.ECOLINE WATER DRAIN SLOT WITH BRUSH MOTOR (RWS-2SE) 

GLAZING BEAD SAW**46-49**

- 46.UNIVERSAL DIGITAL GLAZING BEAD SAW (SGB-100UD)
- 47.UNIVERSAL AUTOMATIC GLAZING BEAD SAW (SGB-100UA)
- 48.AUTOMATIC GLAZING BEAD SAW (SGB-100A)
- 49.MANUAL GLAZING BEAD SAW WITH CONVEYOR (SGB-100M) 

V CUTTING MACHINE**50-52**

- 50.DIGITAL VERTICAL V CUT SAW ALUMINIUM (UVV-100D)
- 51.AUTOMATIC V CUT SAW (SVC-2A8)
- 52.MANUAL V CUT SAW (SVC-10M) 

END MILLING MACHINE**53-55**


- 53.UNIVERSAL AUTOMATIC END MILLING MACHINE (ME-5AVQ AL/UPVC)
- 54.AUTOMATIC END MILLING MACHINE (ME-5A AL/UPVC)
- 55.MANUAL END MILLING MACHINE (ME-4M AL/UPVC) 

PUNCHING MACHINE**56-62**

- 56.AUTOMATIC DUAL ACTING LOUVER PUNCHING MACHINE (LPM- 2TA)
- 57.7 POST SOLAR FRAME PUNCHING MACHINE (SHP-7P)
- 58.ALUMINIUM 8 POST ROTARY PUNCHING (PPM-8TR)
- 59.ALUMINIUM 4 POST ROTARY PUNCHING (PPM-4TR)
- 60.UNIVERSAL AUTOMATIC SINGLE POST CLEAT PUNCHING MACHINE (CP-1TA)
- 61.UNIVERSAL MANUAL SINGLE POST CLEAT PUNCHING MACHINE (CP-1TM) 
- 62.INTERLOCK PUNCHING MACHINE (IPM-2T) 

SPECIAL MACHINES**63-72**

- 63.AUTOMATIC ALUMINIUM NOTCHING SAW MACHINE (SNM-2A)
- 64.ALUMINIUM PROFILE BENDING MACHINE (PBA-7D)
- 65.UPVC ARC BENDING MACHINE (BAM-3MOH/3MHA)
- 66.CNC DIGITAL MOTOR BODY CUTTING SAW (SCC-22D)
- 66.CNC DIGITAL CLEAT CUTTING SAW (SCC-20D)
- 68.ALUMINUM CORNER CRIMPING MACHINE (ACC - 5A)
- 69.WELD STRENGTH TESTING MACHINE (TWA-100) 
- 70.RI CUTTING SAW MACHINE 400 (SGI-14A)
- 71.RI PUNCHING MACHINE (RPU-2H)
- 72.RI SCREWING MACHINE (SRI-8H)




MC 4XA CNC PROFILE MACHINING CENTER




Electro Spindle
7.5Kw / 24000 RPM






11 Tool ATC



1 Kw X 1
0.75 Kw X 3
Servo Motor




4 Axis movement
X MAX - 4000mm
Y MAX - 375mm
Z MAX - 350mm
A MAX - 180 Degree



THREE-PHASE
400 volt



7.5 KW
AUTOMATIC TOOL
CHANGER WITH FAN




WEIGHT
kg
1500




6-7 BAR



AIR
CONSUMPTION
100 L/M



DIMENSIONS
L- 5200mm
H- 2100mm
W- 1700mm




PACKAGING
L- 5300mm
H- 2200mm
W- 1800mm




TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477






MC 3XRA CNC PROFILE MACHINING CENTER



0.75 KW x3
Servo motor




3 Axis movement
X MAX - 2500mm
Y MAX - 375mm
Z MAX - 350mm



THREE-PHASE
400 volt



7.5 KW
AUTOMATIC TOOL
CHANGER WITH FAN



WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 L/M

DIMENSIONS
L- 3100mm
H- 2000mm
W- 1550mm




PACKAGING
L- 3200mm
H- 2100mm
W- 1650mm




TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)



Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




MC 4XM CNC PROFILE MACHINING CENTER MINI




4 Axis movement
X MAX - 1150mm
Y MAX - 190/290mm
Z MAX - 350mm
A MAX - 180 Degree



THREE-PHASE
400 volt



5 KW
SPINDLE MOTOR




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 L/M



DIMENSIONS
L- 1900mm
H- 1950mm
W- 1050mm




PACKAGING
L- 2000mm
H- 2050mm
W- 1150mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.








931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




MC 3X 900


CNC PROFILE MACHINING CENTER



THREE-PHASE
400 volt



3.5 KW
SPINDLE MOTOR




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 L/M



DIMENSIONS
L- 1600+600mm
H- 1750mm
W- 850mm




PACKAGING
L- 1700mm
H- 1800mm
W- 900mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.







931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SDS 24AA


DOUBLE HEAD CUTTING - 600




THREE-PHASE
400 volt



3.5 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L - 8000mm
H - 2000mm
W - 2000mm




PACKAGING
L - 5840mm
H - 1800mm
W - 2100mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477





SDS 22A/M DOUBLE HEAD CUTTING - 550




550/530 mm BLADE




0.4 KW x1
Servo motor




THREE-PHASE
400 volt



3.5 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L - 7500mm
H - 1900mm
W - 1700mm




PACKAGING
L - 5280mm
H - 1830mm
W - 1200mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477






SDS 20AS


SWING DOUBLE HEAD CUTTING - 500




SDS - 20AS





500 mm BLADE




0.4 KW x1
Servo motor




SIEMENS




THREE-PHASE
400 volt



2.2 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L - 7500mm
H - 1900mm
W - 1800mm




PACKAGING
L - 5335mm
H - 1650mm
W - 1200mm







TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SDS 20FA (GARUDA) DOUBLE HEAD CUTTING - 500




THREE-PHASE
400 volt



2.2 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L- 7500mm
H- 1900mm
W- 1800mm




PACKAGING
L- 5335mm
H- 1650mm
W- 1200mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.








931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SDS 20A/M


DOUBLE HEAD CUTTING - 500




THREE-PHASE
400 volt



2.2 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



**AIR
CONSUMPTION**
100 LPM



DIMENSIONS
L - 7500mm
H - 1900mm
W - 1800mm




PACKAGING
L - 5335mm
H - 1650mm
W - 1200mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.






931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477





SDS 17A/M

DOUBLE HEAD CUTTING - 420




0.4 KW x1
Servo Motor


420 mm BLADE




THREE-PHASE
400 volt



1.5 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L- 6500mm
H- 1700mm
W- 1700mm




PACKAGING
L- 4960mm
H- 1650mm
W- 1200mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477





SDS 16SLA/M DOUBLE HEAD SOLAR CUTTING - 350/400




350/400 mm BLADE




0.4 KW x1
Servo/Stepper motor




THREE-PHASE
400 volt



1.5 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L- 7500mm
H- 1700mm
W- 1800mm




PACKAGING
L- 7600mm
H- 1800mm
W- 1900mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)





Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SDS 16A/M DOUBLE HEAD CUTTING - 400






SDS - 16A/M




400 mm BLADE




6.5 NM x1
Stepper motor




THREE-PHASE
400 volt



1.5 KW x2
2800 rpm



DIRECTION




WEIGHT




6-7 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L- 4230mm
H- 1220mm
W- 1085mm




PACKAGING
L- 4350mm
H- 1475mm
W- 1150mm


TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SSM 20AS SINGLE HEAD CUTTING FRONTAL - 500




SSM - 20AS




500 mm BLADE
ID 30 mm



THREE-PHASE
400 volt



1.5 KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
40 L/M




DIMENSIONS
L- 6800mm
H- 1500mm
W- 1090mm



PACKAGING
L- 1070mm
H- 1370mm
W- 865mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SSM 20A


SINGLE HEAD UPSTROKE CUTTING - 500




500 mm BLADE
ID 30 mm



THREE-PHASE
400 volt



1.5 KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 6800mm
H- 1600mm
W- 900mm




PACKAGING
L- 890mm
H- 1400mm
W- 1015mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.





931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SSM 17A


SINGLE HEAD UPSTROKE CUTTING - 420




420 mm BLADE
ID 30 mm



THREE-PHASE
400 volt



1.5 KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 6800mm
H- 1600mm
W- 900mm




PACKAGING
L- 890mm
H- 1400mm
W- 1015mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477







SSV 16 A/M





COMPOSITE SINGLE HEAD CUTTING - 400



SSV - 16A/M



400 mm BLADE




WEIGHT




6-7 BAR



AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 6600mm
H- 1700mm
W- 900mm




PACKAGING
L- 870mm
H- 1370mm
W- 815mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477






SSM 16 A/M




MANUAL SINGLE HEAD CUTTING - 400




SSM - 16A/M



400 mm BLADE



1.5 KW
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 6600mm
H- 1700mm
W- 900mm




PACKAGING
L- 870mm
H- 1370mm
W- 815mm


TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)






Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




WQS 7D QUAD WELDING MACHINE



CORNER JOINT



THREE-PHASE
400 volt
POWER 7KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
200 LPM




DIMENSIONS
L- 3900mm
H- 2000mm
W- 3500mm










PACKAGING
L- 3950mm
H- 2050mm
W- 3550mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



WFS S6LVVL SEAMLESS FOUR HEAD WELDING MACHINE



THREE-PHASE
400 volt
POWER 5KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
150 LPM




DIMENSIONS
L- 4900mm
H- 1700mm
W- 2175mm





PACKAGING
L- 5080mm
H- 1460mm
W- 965mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




WTS S6 LVL SEAMLESS THREE HEAD WELDING MACHINE




CORNER JOINT







BUTT JOINT




V- JOINT



0.2mm & 2mm Welding



THREE-PHASE
400 volt
POWER 3.5KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
120 LPM



DIMENSIONS
L- 4900mm
H- 1700mm
W- 2175mm




PACKAGING
L- 5080mm
H- 1460mm
W- 965mm









TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



WDS SC7L NEAT SEAMLESS DOUBLE HEAD WELDING MACHINE



SINGLE-PHASE
230 volt
POWER 2.5KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
120 LPM




DIMENSIONS
L- 4900mm
H- 1900mm
W- 1750mm











PACKAGING
L- 4800mm
H- 1830mm
W- 815mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



WDS S6 LV SEAMLESS TWO HEAD V WELDING MACHINE



SINGLE-PHASE
230 volt
POWER 2KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
120 LPM



DIMENSIONS
L- 4900mm
H- 1900mm
W- 1750mm




PACKAGING
L- 4800mm
H- 1830mm
W- 815mm








TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



WDS S6L SEAMLESS DOUBLE HEAD WELDING MACHINE



SINGLE-PHASE
230 volt
POWER 2KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
120 LPM




DIMENSIONS
L- 4900mm
H- 1900mm
W- 2000mm




PACKAGING
L- 4800mm
H- 1830mm
W- 815mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




WDS 6L DOUBLE HEAD NORMAL WELDING MACHINE



30-180°







CORNER JOINT




BUTT JOINT



2mm Welding



SINGLE-PHASE
230 volt
POWER 2KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
120 LPM




DIMENSIONS
L- 4900mm
H- 1900mm
W- 2000mm



PACKAGING
L- 4800mm
H- 1830mm
W- 815mm


TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




WSS-S6V


SINGLE HEAD V WELDING MACHINE




30-180°







CORNER JOINT




BUTT JOINT
180°



V- JOINT



SINGLE-PHASE
230 volt
POWER 1.5KW




WEIGHT




6-7 BAR



AIR
CONSUMPTION
120 LPM



DIMENSIONS
L- 3000mm
H- 1900mm
W- 2100mm




PACKAGING
L- 765mm
H- 1625mm
W- 710mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




WSS S6L


SEAMLESS SINGLE HEAD WELDING MACHINE



30-180





CORNER JOINT



BUTT JOINT



0.2mm & 2mm Welding




H- 150 MAX


W- 110 MAX



SIEMENS



SINGLE-PHASE
230 volt
POWER 1KW




WEIGHT
kg
165




6-7 BAR



AIR
CONSUMPTION
50 LPM



DIMENSIONS
L- 700mm
H- 1600mm
W- 1100mm




PACKAGING
L- 765mm
H- 1625mm
W- 710mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477





WSM 5L


MANUAL SINGLE HEAD WELDING MACHINE




CORNER JOINT




SINGLE-PHASE
230 volt
POWER 1KW



WEIGHT



DIMENSIONS
L- 600mm
H- 1250mm
W- 550mm




PACKAGING
L- 650mm
H- 1200mm
W- 600mm




TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




CCM - 10 AR CNC CORNER CLEANING -10TOOL




250 mm BLADE
2840 rpm




0.75KW & 1.0KW
Servo motors



THREE-PHASE
400 volt



0.55 KW
2800 rpm




WEIGHT
kg
810




6-7 BAR



AIR
CONSUMPTION
120 L/M



DIMENSIONS
L- 2700mm
H- 2000mm
W- 2700mm




PACKAGING
L- 1900mm
H- 2030mm
W- 870mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.





931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




CCM - 7T


CNC CORNER CLEANING-7TOOL




250 mm BLADE
2840 rpm




0.4KW & 0.75KW
Servo motors



THREE-PHASE
400 volt



0.55 KW
2800 rpm




WEIGHT
kg
540




6-7 BAR



AIR
CONSUMPTION
120 L/M



DIMENSIONS
L- 2500mm
H- 1900mm
W- 2700mm




PACKAGING
L- 1480mm
H- 1880mm
W- 1020mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.




931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




CCM - 5T


CNC CORNER CLEANING-5TOOL




0.4 KW x2
Servo motor




250 mm BLADE
2840 rpm



THREE-PHASE
400 volt



0.55 KW




WEIGHT
kg
370




6-7 BAR




AIR
CONSUMPTION
100 LPM



DIMENSIONS
L- 2100mm
H- 1800mm
W- 2500mm




PACKAGING
L- 1320mm
H- 1850mm
W- 1100mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.





931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




CCM - 3T



CNC CORNER CLEANING-3TOOL




0.4 KW x2
Servo motor




250 mm BLADE
2840 rpm



THREE-PHASE
400 volt



0.55 KW




WEIGHT
kg
360




6-7 BAR



AIR
CONSUMPTION
30 L/M



DIMENSIONS
L- 2100mm
H- 1800mm
W- 2500mm




PACKAGING
L- 1320mm
H- 1850mm
W- 1100mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477






VCM 4T

AUTOMATIC V CLEANING MACHINE



V- JOINT
GROOVING




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 750mm
H- 1350mm
W- 720mm




PACKAGING
L- 850mm
H- 1500mm
W- 810mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)





Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




CCE 1T3 CORNER CLEANING CUM END MILLING




CUTTER SHAFT



THREE-PHASE
WITH NEUTRAL
400 volts



1.1 KW
2800 rpm




WEIGHT
kg
180




6-7 BAR



AIR
CONSUMPTION
90 L/M



DIMENSIONS
L - 1550mm
H - 1350mm
W - 1230mm




PACKAGING
L- 665mm
H- 1400mm
W- 1180mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



SCM 2T CORNER SURFACE GROOVING MACHINE




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 650mm
H- 1300mm
W- 950mm




PACKAGING
L- 610mm
H- 1250mm
W- 720mm







TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RC 3DW COPY ROUTER WITH TRIPLE DRILL CUM WATER DRAINAGE MACHINE



THREE-PHASE
400 volt



1.1 KW X 2
0.18 KW X 1
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
30 L/M



DIMENSIONS
L- 1700mm
H- 1700mm
W- 1400mm




PACKAGING
L- 920mm
H- 1530mm
W- 1000mm








TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RCS 3DC SEMI AUTO. COPY ROUTER WITH TRIPLE DRILL AND CENTERING DEVICE



THREE-PHASE
400 volt



1.1 KW X 2
2800/1400 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
30 L/M



DIMENSIONS
L- 2500mm
H- 1700mm
W- 1055mm




PACKAGING
L- 1550mm
H- 1500mm
W- 600mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.







931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RCS AL


SEMI AUTOMATIC ALUMINIUM COPY ROUTER



THREE-PHASE
400 volt



1.1 KW
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
20 L/M



DIMENSIONS
L- 2500mm
H- 1700mm
W- 750mm




PACKAGING
L- 1550mm
H- 1500mm
W- 800mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.







931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RC 3D


COPY ROUTER WITH TRIPLE DRILLING



THREE-PHASE
400 volt



1.1 KW X 2
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
30 L/M



DIMENSIONS
L- 1700mm
H- 1700mm
W- 1050mm




PACKAGING
L- 920mm
H- 1530mm
W- 760mm







TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RC - AL ALUMINIUM COPY ROUTER



THREE-PHASE
400 volt



1.1 KW
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
20 L/M



DIMENSIONS
L- 1700mm
H- 1700mm
W- 800mm




PACKAGING
L- 745mm
H- 1530mm
W- 765mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.








931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RCE 3D


ECOLINE COPY ROUTER WITH TRIPLE DRILLING



THREE-PHASE
400 volt



0.55 KW X 2
2800 rpm




WEIGHT
kg
96




6-7 BAR



AIR
CONSUMPTION
10 L/M



DIMENSIONS
L- 1000mm
H- 1500mm
W- 700mm




PACKAGING
L- 1020mm
H- 1550mm
W- 700mm






TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <http://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RCP PORTABLE COPY ROUTER



SINGLE-PHASE
230 volt



1.1 KW
2800 rpm




WEIGHT
kg
52




6-7 BAR



AIR CONSUMPTION
10 L/M




DIMENSIONS
L- 500mm
H- 1500mm
W- 800mm





PACKAGING
L- 720mm
H- 750mm
W- 720mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477





RWS 3SA HEAVY DUTY WATER DRAIN SLOT WITH 3 SPINDLE




SPINDLE




8x5x80



THREE-PHASE
400 volt



3x0.18kw
2800 rpm




WEIGHT
kg
135




6-7 BAR



AIR
CONSUMPTION
15 L/M



DIMENSIONS
L- 800mm
H- 1200mm
W- 900mm




PACKAGING
L- 720mm
H- 1320mm
5- 740mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477





RWS 3SS SEMI AUTOMATIC WATER DRAIN SLOT




SPINDLE




5x25/60x8



THREE-PHASE
400 volt



3x0.18kw
2800 rpm




WEIGHT
kg
115




6-7 BAR



AIR
CONSUMPTION
5 LPM




DIMENSIONS
L- 800mm
H- 1450mm
W- 700mm



PACKAGING
L- 720mm
H- 1320mm
W- 750mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RWS 2SS



SEMI AUTOMATIC WATER DRAIN SLOT




SPINDLE




5x25/60x8



THREE-PHASE
400 volt



2x0.18kw
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
5 LPM




DIMENSIONS
L- 800mm
H- 1450mm
W- 700mm







PACKAGING
L- 720mm
H- 1320mm
W- 750mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RWS -2SE ECOLINE WATER DRAIN SLOT WITH BRUSH MOTOR



SINGLE-PHASE
230 volt



2 X 650w
27000 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
10 LPM



DIMENSIONS
L- 700mm
H- 1200mm
W- 750mm




PACKAGING
L- 750mm
H- 1250mm
W- 800mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SGB 100UD UNIVERSAL DIGITAL GLAZING BEAD SAW




H1 = 14 mm (max)
H2 = 56 mm (max)



THREE-PHASE
400 volt



0.55 KW x2
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 5500mm
H- 1300mm
W- 1200mm




PACKAGING
L- 1200mm
H- 1220mm
W- 660mm






TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SGB 100UA **UNIVERSAL AUTOMATIC GLAZING BEAD SAW**



THREE-PHASE
400 volt



0.55 KW x2
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 5500mm
H- 1300mm
W- 1200mm




PACKAGING
L- 1200mm
H- 1220mm
W- 660mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SGB 100A AUTOMATIC GLAZING BEAD SAW



THREE-PHASE
400 volt



0.55 KW X 2
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 5500mm
H- 1300mm
W- 1200mm




PACKAGING
L- 1200mm
H- 1220mm
W- 660mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SGB 100M MANUAL GLAZING BEAD SAW WITH CONVEYOR




H1 = 14 mm (max)
H2 = 56 mm (max)



THREE-PHASE
400 volt



0.55 KW
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 1000mm
H- 1220mm
W- 550mm




PACKAGING
L- 990mm
H- 1170mm
W- 610mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)





Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




UVV 100D DIGITAL VERTICAL V CUT SAW ALUMINIUM




UVV 100D




450 mm BLADE
ID 30 mm



THREE-PHASE
400 volt



1.1 KW X 2
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 3200mm
H- 1725mm
W- 650mm




PACKAGING
L- 750mm
H- 1800mm
W- 700mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SVC 2A8 AUTOMATIC V CUT SAW




250 mm BLADE X 2
ID 30 mm



THREE-PHASE
400 volt



0.55KW X 2
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 3500mm
H- 1300mm
W- 1200mm




PACKAGING
L- 1200mm
H- 1330mm
W- 1220mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SVC 10M MANUAL V CUT SAW




250 mm BLADE
ID 30 mm



THREE-PHASE
400 volt



0.55KW
2800 rpm




WEIGHT
kg
120




6-7 BAR



AIR
CONSUMPTION
60 LPM



DIMENSIONS
L- 1000mm
H- 1220mm
W- 550mm




PACKAGING
L- 950mm
H- 1250mm
W- 570mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




ME 5AVQ AL/ UPVC UNIVERSAL AUTOMATIC END MILLING MACHINE




3 X QUICK CHANGE
CUTTER SLEEVE



THREE-PHASE
WITH NEUTRAL
400 volts



1.5 KW
2800 rpm




WEIGHT




6-7 BAR



AIR
CONSUMPTION
50 L/M




DIMENSIONS
L - 1100mm
H - 1700mm
W - 800mm





PACKAGING
L- 1250mm
H- 1380mm
W- 770mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.





931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




ME 5A AL/ UPVC AUTOMATIC END MILLING MACHINE




CUTTER SHAFT



THREE-PHASE
WITH NEUTRAL
400 volts



1.1 KW
2800 rpm




WEIGHT
kg
135




6-7 BAR



AIR
CONSUMPTION
50 L/M




DIMENSIONS
L - 1200mm
H - 1150mm
W - 1100mm





PACKAGING
L- 1020mm
H- 1200mm
W- 610mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.





931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




ME 4M AL/UPVC MANUAL END MILLING MACHINE




CUTTER SHAFT



THREE-PHASE
400 volt



0.75 KW
2800 rpm




WEIGHT




AIR
CONSUMPTION
10 L/M



6-7 BAR



DIMENSIONS
L - 1200mm
H - 1250mm
W - 700mm




PACKAGING
L- 1300mm
H- 1350mm
W- 750mm




TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



LPM 2TA AUTOMATIC DUAL ACTING LOUVER PUNCHING MACHINE




WEIGHT




7-8 BAR



AIR
CONSUMPTION
120 L/M




DIMENSIONS
L- 500mm
H- 1550mm
W- 600mm






PACKAGING
L- 560mm
H- 1530mm
W- 500mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
 Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SHP 7P 7 POST SOLAR FRAME PUNCHING MACHINE



THREE-PHASE
400 volt



2.2 KW




WEIGHT




120 BAR
HYDRAULIC
PRESSURE



9 LPM



DIMENSIONS
L- 2200mm
H- 1500mm
W- 500mm




PACKAGING
L- 2300mm
H- 1600mm
W- 600mm




TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



PPM-8TR ALUMINIUM 8 POST ROTARY PUNCHING



kg
160


WEIGHT




7-8 BAR



AIR
CONSUMPTION
140 L/M



DIMENSIONS
L- 500mm
H- 1300mm
W- 700mm




PACKAGING
L- 600mm
H- 1400mm
W- 800mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



PPM-4TR ALUMINIUM 4 POST ROTARY PUNCHING




WEIGHT




7-8 BAR



AIR
CONSUMPTION
120 L/M



DIMENSIONS
L- 600mm
H- 1500mm
W- 500mm




PACKAGING
L- 700mm
H- 1600mm
W- 600mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



CP -1TA UNIVERSAL AUTOMATIC SINGLE POST CLEAT PUNCHING MACHINE




WEIGHT




7-8 BAR



AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 500mm
H- 1400mm
W- 500mm




PACKAGING
L- 550mm
H- 1500mm
W- 550mm





TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




CP 1TM UNIVERSAL MANUAL SINGLE POST CLEAT PUNCHING MACHINE



WEIGHT




DIMENSIONS
L- 500mm
H- 1700mm
W- 500mm






PACKAGING
L- 550mm
H- 1750mm
W- 550mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



IPM 2T INTERLOCK PUNCHING MACHINE




WEIGHT




6-7 BAR



AIR
CONSUMPTION
30 L/M




DIMENSIONS
L- 350mm
H- 420mm
W- 300mm







PACKAGING
L- 400mm
H- 460mm
W- 350mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.



931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SNM 2A AUTOMATIC ALUMINIUM NOTCHING SAW MACHINE




2HP X 1 & 3HP X 1
2800 rpm




450 & 500 mm SAW BLADE
ID 30 mm



THREE-PHASE
400 volt




WEIGHT




7-8 BAR



AIR
CONSUMPTION
30 L/M




DIMENSIONS
L- 2300 mm
H- 1700 mm
W- 1400 mm



PACKAGING
L- 2400 mm
H- 1800mm
W- 1500mm


TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



PBA - 7D

ALUMINIUM PROFILE BENDING MACHINE




MINIMUM ARC
RADIUS
450 mm

ALL AXIS MOVEMENT



- + X AXIS - 200
- X AXIS - 200
- Y AXIS - 350




1.5 KW x 1
Servo motor



0.75 KW x 2
Servo motor



THREE-PHASE
400 volt




WEIGHT




6-7 BAR



AIR
CONSUMPTION
15 L/M



DIMENSIONS
L- 1650mm
H- 1320mm
W- 1500mm




PACKAGING
L- 1750mm
H- 1400mm
W- 1600mm


TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




BAM 3MOH/3MHA UPVC ARC BENDING MACHINE




MAXIMUM ARC
RADIUS
1250 mm




MINIMUM ARC
RADIUS
450 mm




OIL TANK
DIMENSIONS




SINGLE-PHASE
8KW




WEIGHT
350 kg




TANK CAPACITY
225 LITERS



TEMPERATURE
90° C




DIMENSIONS
L- 2500mm
H- 860mm
W- 1250mm







PACKAGING
L- 2600mm
H- 950mm
W- 1350mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.


931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SCC 22D CNC DIGITAL MOTOR BODY CUTTING SAW




500/550 mm BLADE




0.4 KW x1
Servo motor




THREE-PHASE
400 volt



3.5 KW
2800 rpm



DIRECTION




WEIGHT
kg
450




6-8 BAR



AIR
CONSUMPTION
100 LPM




DIMENSIONS
L - 2800mm
H - 1900mm
W - 1700mm



PACKAGING
L - 1320mm
H - 1500mm
W - 1450mm



TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)
Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SCC 20D


CNC DIGITAL CLEAT CUTTING SAW




450/500 mm BLADE




0.4 KW x1
Servo motor




THREE-PHASE
400 volt



2.2 KW
2800 rpm



DIRECTION




WEIGHT




6-8 BAR



AIR
CONSUMPTION
100 LPM



DIMENSIONS
L - 2800mm
H - 1900mm
W - 1700mm




PACKAGING
L - 1320mm
H - 1500mm
W - 1450mm






TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



ACC 5A ALUMINUM CORNER CRIMPING MACHINE



SINGLE-PHASE
230 volt




WEIGHT




7-8 BAR



AIR
CONSUMPTION
120 L/M



DIMENSIONS
L- 1770mm
H- 1380mm
W- 1220mm




PACKAGING
L- 900mm
H- 1450mm
W- 900mm


TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)



Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



TWA - 100 WELD STRENGTH TESTING





90° CORNER
LENGHT AS PER STANDARD
PROFILE




1-1500 N




PEAK HOLD DISPLAY



HYDRAULIC
CYLINDER
(STROKE - 150 mm)




0.75 KW
2800 rpm




WEIGHT



0-1500 PSI



DIMENSIONS
L- 1000mm
H- 1900mm
W- 600mm




PACKAGING
L- 1100mm
H- 2000mm
W- 700mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)




Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SGI 14A RI CUTTING SAW MACHINE 400




SGI 14A




400 mm BLADE
ID 130 mm



THREE-PHASE
400 volt



1.5 KW




WEIGHT




6-7 BAR




AIR
CONSUMPTION
40 L/M



DIMENSIONS
L- 6800mm
H- 1600mm
W- 900mm




PACKAGING
L- 890mm
H- 1400mm
W- 1015mm








TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




RPU 2H RI PUNCHING MACHINE




WEIGHT



1250 KG



DIMENSIONS
L- 500mm
H- 1400mm
W- 500mm




PACKAGING
L- 550mm
H- 1600mm
W- 550mm




TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)


Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477




SRI 8H RI SCREWING MACHINE



THREE-PHASE
400 volt




WEIGHT




7-8 BAR



AIR
CONSUMPTION
30 L/M



DIMENSIONS
L- 3700mm
H- 1900mm
W- 800mm



PACKAGING
L- 800mm
H- 2000mm
W- 900mm

TAALIN MACHINERY & ROBOTICS PVT. LTD.

931/931A, Winsten Park, Knowledge Park-V, Greater Noida West, U.P- 201308 (INDIA)

Web: <https://www.taalin.com>, Mail id: sales@taalin.com, Mob: 8882033535/8882910477



**TRANSFORMING
CONCEPTS
INTO REALITY
AND
NURTURING
INNOVATION**

WHY CHOOSE US!

- ✓ Precision & Innovation
- ✓ Versatility & Customization
- ✓ Reliable Support & Expertise